

# Lawrence Berkeley National Laboratory

## Recent Work

### Title

Correction to: Quantitative phosphoproteomic analysis reveals reciprocal activation of receptor tyrosine kinases between cancer epithelial cells and stromal fibroblasts.

### Permalink

<https://escholarship.org/uc/item/8xs8r7xn>

### Journal

Clinical proteomics, 15(1)

### ISSN

1542-6416

### Authors

Wu, Xinyan  
Zahari, Muhammad Saddiq  
Renuse, Santosh  
et al.

### Publication Date

2018

### DOI

10.1186/s12014-018-9210-4


Peer reviewed

CORRECTION

Open Access



# Correction to: Quantitative phosphoproteomic analysis reveals reciprocal activation of receptor tyrosine kinases between cancer epithelial cells and stromal fibroblasts

Xinyan Wu<sup>1,2,8\*†</sup>, Muhammad Saddiq Zahari<sup>1,2†</sup>, Santosh Renuse<sup>1,2,3†</sup>, Nandini A. Sahasrabudhe<sup>1,2,3,4</sup>, Raghothama Chaerkady<sup>1,2</sup>, Mi-Sik Kim<sup>1,2</sup>, Mary Jo Fackler<sup>5</sup>, Martha Stampfer<sup>7</sup>, Edward Gabrielson<sup>5,6</sup>, Saraswati Sukumar<sup>5</sup> and Akhilesh Pandey<sup>1,2,3,8\*</sup> 

## Correction to: Clin Proteom (2018) 15:21

<https://doi.org/10.1186/s12014-018-9197-x>

Unfortunately, after publication of this article [1], errors were noticed in Figs. 3 and 4. The “T” in the word “pTyr” was missing in Fig. 3. The word “change” was missing

after the word “Fold” in the label of y axis in Fig. 4a. The “e” in the word “Co-culture” was missing in Fig. 4a. The correct figures are presented in this correction. The original article has also been updated.


\*Correspondence: [xinyan@jhmi.edu](mailto:xinyan@jhmi.edu); [pandey@jhmi.edu](mailto:pandey@jhmi.edu)

†Xinyan Wu, Muhammad Saddiq Zahari and Santosh Renuse contributed equally to this work


<sup>8</sup> Johns Hopkins University, 733 N. Broadway, Baltimore, MD 21205, USA

Full list of author information is available at the end of the article





**Fig. 3** Phosphotyrosine profiling of cancer epithelial cells and interacting CAFs. **a, b** Density scatter plot of log<sub>2</sub>-transformed phosphopeptide intensity ratios (82T-co-cultured vs. 82T (A) and MDA-MB-231-co-cultured vs. MDA-MB-231) from two SILAC biological experiments. **c** Pie chart showing the composition of pTyr and pSer/Thr peptides identified in the phosphoproteomic analysis. **d** Venn diagram showing overlap of phosphopeptides identified in MDA-MB-231 and 82T cells. **e, f** Gene ontology analysis of phosphoproteins in cancer epithelium and CAFs. **e** Cellular component; **f** molecular functions



**Fig. 4** Reciprocal activation of receptor tyrosine kinases induced by the crosstalk. **a** Distribution of phosphorylation ratio of pY peptides. Blue dots:  $\log_2$ -transformed ratio of MDA-MB-231-co-cultured versus MDA-MB-231; red dots:  $\log_2$ -transformed ratio of 82T-co-cultured versus 82T. **b, c** Representative spectrum of FGFR1 (**b**) and EGFR (**c**) identified in cancer epithelium and CAFs. Top panels: MS spectra and bottom panels: MS/MS spectra for phosphotyrosine-containing peptides identified for FGFR1 and EGFR

#### Author details

<sup>1</sup> Department of Biological Chemistry, Johns Hopkins University, Baltimore, MD, USA. <sup>2</sup> McKusick-Nathans Institute of Genetic Medicine, Johns Hopkins University, Baltimore, MD, USA. <sup>3</sup> Institute of Bioinformatics, International Technology Park, Bangalore 560066, India. <sup>4</sup> Manipal Academy of Higher Education, Manipal, Karnataka 576104, India. <sup>5</sup> Department of Oncology, Johns Hopkins University School of Medicine, Baltimore, MD 21205, USA. <sup>6</sup> Department of Pathology, Johns Hopkins University School of Medicine, Baltimore,

MD 21205, USA. <sup>7</sup> Division of Biological Systems and Engineering, Lawrence Berkeley National Laboratory, Berkeley, CA, USA. <sup>8</sup> Johns Hopkins University, 733 N. Broadway, Baltimore, MD 21205, USA.

The original article can be found online at <https://doi.org/10.1186/s12014-018-9197-x>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 23 October 2018 Accepted: 23 October 2018  
Published online: 17 November 2018

## References

1. Wu X, Zahari MS, Renuse S, Sahasrabudhe NA, Chaerkady R, Kim M, Fackler MJ, Stampfer M, Gabrielson E, Sukumar S, Pandey A. Quantitative phosphoproteomic analysis reveals reciprocal activation of receptor tyrosine kinases between cancer epithelial cells and stromal fibroblasts. *Clin Proteom*. 2018;15:21. <https://doi.org/10.1186/s12014-018-9197-x>.